

(誤) 第28表 BMI・腹囲の区分(性・年齢階級別)

		年 齢 階 級															
		総 数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		(再掲) 40-74歳	
		人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
性 別 男 性	BMI・腹囲の区分																
	BMI<25、腹囲<85/90cm	1202	44.9	145	69.7	223	55.3	192	45.2	193	40.8	209	36.3	240	40.7	675	39.1
	BMI≥25、腹囲<85/90cm	645	24.1	18	8.7	65	16.1	91	21.4	112	23.7	174	30.2	185	31.4	465	26.9
	BMI<25、腹囲≥85/90cm	59	2.2	7	3.4	9	2.2	12	2.8	17	3.6	7	1.2	7	1.2	37	2.1
	BMI≥25、腹囲≥85/90cm	769	28.7	38	18.3	106	26.3	130	30.6	151	31.9	186	32.3	158	26.8	549	31.8
	総 数	2675	100	208	100	403	100	425	100	473	100	576	100	590	100	1726	100
女 性	BMI・腹囲の区分																
	BMI<25、腹囲<85/90cm	2490	74.7	235	93.3	479	88.7	408	82.1	453	74.3	450	64.4	465	63.1	1482	71.3
	BMI≥25、腹囲<85/90cm	173	5.2	1	0.4	3	0.6	6	1.2	28	4.6	47	6.7	88	11.9	111	5.3
	BMI<25、腹囲≥85/90cm	249	7.5	6	2.4	36	6.7	40	8.0	65	10.7	63	9.0	39	5.3	187	9.0
	BMI≥25、腹囲≥85/90cm	423	12.7	10	4.0	22	4.1	43	8.7	64	10.5	139	19.9	145	19.7	300	14.4
	総 数	3335	100	252	100	540	100	497	100	610	100	699	100	737	100	2080	100
総 数	BMI・腹囲の区分																
	BMI<25、腹囲<85/90cm	3692	61.4	380	82.6	702	74.4	600	65.1	646	59.6	659	51.7	705	53.1	2157	56.7
	BMI≥25、腹囲<85/90cm	818	13.6	19	4.1	68	7.2	97	10.5	140	12.9	221	17.3	273	20.6	576	15.1
	BMI<25、腹囲≥85/90cm	308	5.1	13	2.8	45	4.8	52	5.6	82	7.6	70	5.5	46	3.5	224	5.9
	BMI≥25、腹囲≥85/90cm	1192	19.8	48	10.4	128	13.6	173	18.8	215	19.9	325	25.5	303	22.8	849	22.3
	総 数	6010	100	460	100	943	100	922	100	1083	100	1275	100	1327	100	3806	100

注) 妊婦除外

(正) 第28表 BMI・腹囲の区分(性・年齢階級別)

		年 齢 階 級															
		総 数		20-29歳		30-39歳		40-49歳		50-59歳		60-69歳		70歳以上		(再掲) 40-74歳	
		人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%	人数	%
性 別 男 性	BMI・腹囲の区分																
	BMI<25、腹囲<85/90cm	1,202	44.9	145	69.7	223	55.3	192	45.2	193	40.8	209	36.3	240	40.7	675	39.1
	BMI≥25、腹囲<85/90cm	59	2.2	7	3.4	9	2.2	12	2.8	17	3.6	7	1.2	7	1.2	37	2.1
	BMI<25、腹囲≥85/90cm	645	24.1	18	8.7	65	16.1	91	21.4	112	23.7	174	30.2	185	31.4	465	26.9
	BMI≥25、腹囲≥85/90cm	769	28.7	38	18.3	106	26.3	130	30.6	151	31.9	186	32.3	158	26.8	549	31.8
	総 数	2,675	100	208	100	403	100	425	100	473	100	576	100	590	100	1,726	100
女 性	BMI・腹囲の区分																
	BMI<25、腹囲<85/90cm	2,490	74.7	235	93.3	479	88.7	408	82.1	453	74.3	450	64.4	465	63.1	1,482	71.3
	BMI≥25、腹囲<85/90cm	249	7.5	6	2.4	36	6.7	40	8.0	65	10.7	63	9.0	39	5.3	187	9.0
	BMI<25、腹囲≥85/90cm	173	5.2	1	0.4	3	0.6	6	1.2	28	4.6	47	6.7	88	11.9	111	5.3
	BMI≥25、腹囲≥85cm	423	12.7	10	4.0	22	4.1	43	8.7	64	10.5	139	19.9	145	19.7	300	14.4
	総 数	3,335	100	252	100	540	100	497	100	610	100	699	100	737	100	2,080	100
総 数	BMI・腹囲の区分																
	BMI<25、腹囲<85/90cm	3,692	61.4	380	82.6	702	74.4	600	65.1	646	59.6	659	51.7	705	53.1	2,157	56.7
	BMI≥25、腹囲<85/90cm	308	5.1	13	2.8	45	4.8	52	5.6	82	7.6	70	5.5	46	3.5	224	5.9
	BMI<25、腹囲≥85/90cm	818	13.6	19	4.1	68	7.2	97	10.5	140	12.9	221	17.3	273	20.6	576	15.1
	BMI≥25、腹囲≥85cm	1,192	19.8	48	10.4	128	13.6	173	18.8	215	19.9	325	25.5	303	22.8	849	22.3
	総 数	6,010	100	460	100	943	100	922	100	1,083	100	1,275	100	1,327	100	3,806	100

注) 妊婦除外

(誤) 第42表の1 血糖値の分布(食後3時間以上, 性・年齢階級別)

Table showing blood sugar distribution by sex and age group. Columns include sex, age group, and counts/percentages for each group. Rows list blood sugar ranges from <40 to ≥110 mg/dl.

(正) 第42表の1 血糖値の分布(食後3時間以上, 性・年齢階級別)

Table showing blood sugar distribution by sex and age group. Columns include sex, age group, and counts/percentages for each group. Rows list blood sugar ranges from <40 to ≥110 mg/dl.

(誤) 第42表の1 血糖値の平均値及び標準偏差(食後3時間以上, 性・年齢階級別)

Table showing average blood sugar values and standard deviations by sex and age group. Columns include sex, age group, and average/standard deviation values. Rows list blood sugar ranges from <40 to ≥110 mg/dl.

(正) 第42表の1 血糖値の平均値及び標準偏差(食後3時間以上, 性・年齢階級別)

Table showing average blood sugar values and standard deviations by sex and age group. Columns include sex, age group, and average/standard deviation values. Rows list blood sugar ranges from <40 to ≥110 mg/dl.

(誤) 第42表の2 血糖値の分布(食後3時間以上, 性・年齢階級別)

Table showing the distribution of blood sugar values (mg/dl) by sex and age group. The table is divided into male and female sections, with columns for age groups (20-29, 30-39, 40-49, 50-59, 60-69, 70+) and percentages. It includes a total row at the bottom.

注)インスリン注射または血糖を下げる薬服用者除外

(誤) 第42表の2 血糖値の平均値及び標準偏差(食後3時間以上, 性・年齢階級別)

Table showing the average values and standard deviations of blood sugar (mg/dl) by sex and age group. The table is divided into male and female sections, with columns for age groups and average/standard deviation values.

注)インスリン注射または血糖を下げる薬服用者除外

(正) 第42表の2 血糖値の分布(食後3時間以上, 性・年齢階級別)

Table showing the distribution of blood sugar values (mg/dl) by sex and age group. The table is divided into male and female sections, with columns for age groups and percentages. It includes a total row at the bottom.

注)インスリン注射または血糖を下げる薬服用者除外

(正) 第42表の2 血糖値の平均値及び標準偏差(食後3時間以上, 性・年齢階級別)

Table showing the average values and standard deviations of blood sugar (mg/dl) by sex and age group. The table is divided into male and female sections, with columns for age groups and average/standard deviation values.

注)インスリン注射または血糖を下げる薬服用者除外